

2015 CENTRAL PROGENY TEST

SIRE	WWT	PWT	YWT	AWT	YEMD	YFAT	YCFW	ACFW	YFD	AFD	YDCV	ADCV	YSL	ASL	YSS	ASS	YWEC	EBWR	EBCOV	LDAG
ARMIDALE 111900	3.8 91%	5.1 91%	7.9 87%	8.7 86%	0.7 85%	0.1 74%	21.8 90%	19.6 80%	-0.5 94%	-0.1 88%	0.1 91%	0 84%	1.0 91%	3.1 75%	1.2 89%	1 78%	-4 64%	-0.1 78%	0.1 -	0.2 84%
ARMIDALE 131528	1.2 87%	0.4 88%	2.0 84%	-0.5 83%	-0.7 80%	-0.6 71%	16.4 86%	11.1 72%	-1.5 91%	-1.7 81%	0.6 87%	1 78%	4.5 88%	1.2 73%	-3.6 85%	-5 74%	-35 61%	0.4 72%	0.2 48%	0.2 80%
BENMORE 130029	1.3 94%	1.4 92%	3.2 96%	1.9 89%	1.9 89%	0.9 86%	2.8 91%	2 92%	-1.8 94%	-2 94%	-2.0 92%	-1.7 91%	2.4 91%	2.9 91%	3.0 90%	5.3 89%	-45 63%	-0.4 72%	0.0 50%	0.0 76%
BENMORE 130052	2.6 94%	3.6 92%	6.1 95%	5.2 89%	0.8 87%	0.7 85%	8.7 91%	3.8 91%	-0.4 94%	-0.7 93%	-1.4 91%	-0.9 90%	15.0 91%	11.4 91%	3.4 89%	3.8 88%	3 63%	-0.3 73%	0.2 49%	0.1 77%
BLAIRICH 120671	0.6 92%	0.6 92%	1.6 89%	2.6 87%	-0.9 85%	-1.1 74%	-6.1 91%	0.4 76%	-2.3 95%	-2.5 86%	-1.4 92%	-1.1 83%	-15.5 92%	-13.3 73%	6.1 90%	5.8 78%	10 65%	1.0 79%	0.3 -	0.2 85%
CLEARDALE D00016	4.3 91%	6.2 91%	9.0 89%	8.3 86%	2.3 84%	1.1 78%	24.1 87%	20.5 82%	1.7 91%	2.4 87%	0.4 87%	0.8 81%	17.8 87%	16.7 73%	-1.1 85%	-2.3 75%	-19 60%	-0.7 72%	-0.2 48%	-0.1 80%
CLEARDALE S00536	0.0 92%	0.0 90%	1.9 88%	2.6 87%	0.4 84%	0.1 73%	15.8 91%	11.6 82%	1.7 95%	1.8 88%	0.2 92%	0.4 84%	5.2 87%	3.7 70%	4.0 86%	5.1 76%	-7 59%	-0.1 73%	0.0 -	-0.1 77%
EARNSCLEUGH 134006	2.7 95%	4.3 93%	8.0 95%	5.4 89%	0.8 89%	0.8 81%	27.5 95%	14.4 84%	-0.5 97%	-0.9 90%	-1.2 95%	-0.9 87%	9.9 96%	5.6 87%	3.8 93%	5.2 83%	-17 70%	-0.3 78%	0.0 54%	0.2 84%
ESKHEAD 120158	0.2 88%	1.4 88%	3.5 84%	2.4 82%	0.3 79%	0.2 65%	2.6 87%	1.9 66%	-0.6 92%	-0.7 78%	-1.0 88%	-0.4 74%	10.5 89%	6.1 68%	1.0 86%	0.7 70%	7 54%	-0.1 70%	0.0 -	0.3 81%
EUDUNDA 100902	4.3 91%	7.0 92%	11.6 87%	12 85%	1.7 83%	1.9 69%	27.5 91%	21.5 69%	5.5 94%	5.4 80%	-0.3 91%	0.5 77%	29.3 92%	21.8 70%	3.4 90%	3.9 73%	4 65%	-1.1 79%	-0.3 -	-0.1 87%
GLENMORE 090092	1.1 83%	0.9 85%	0.8 88%	2 82%	-0.8 85%	-0.8 80%	9.7 90%	16 72%	-1.4 93%	-1.5 85%	1.1 90%	1 82%	0.6 84%	2 67%	0.0 82%	1.4 70%	12 50%	0.2 64%	0.1 -	0.1 71%
GLENMORE 090224	0.8 86%	1.1 88%	1.7 86%	3.2 85%	0.5 83%	-0.6 71%	4.4 92%	13.8 75%	-1.9 95%	-1.7 83%	0.1 92%	-0.2 81%	-1.0 87%	2 70%	1.0 86%	3.3 74%	6 53%	0.4 62%	0.2 45%	0.0 77%
GLENOVIS 070242	6.1 88%	9.6 89%	13.9 84%	15.9 83%	1.9 80%	2.1 65%	19.1 88%	19.9 67%	6.1 92%	6.2 78%	2.5 88%	2.9 75%	12.6 90%	8 68%	-0.1 87%	1.7 71%	-38 60%	-0.8 75%	-0.3 -	-0.2 82%
GLENTANNER 11TW31	-0.4 95%	-0.4 92%	-0.4 90%	-1.1 89%	1.0 87%	-0.2 76%	16.8 90%	14.9 78%	-0.7 91%	-0.4 85%	-1.1 85%	-0.9 79%	6.2 87%	5.2 79%	1.5 83%	1 72%	59 59%	0.3 70%	0.1 46%	-0.2 75%
GLENTANNER 12NR19	-1.9 94%	-1.0 89%	0.9 88%	1.4 86%	0.2 80%	-0.4 69%	12.8 85%	10.9 72%	-0.6 81%	-0.4 72%	-1.1 73%	-0.7 65%	6.5 76%	4.7 63%	3.7 70%	3 60%	3 43%	-0.2 55%	-0.1 -	0.1 60%
GRAYS HILLS 120218	0.2 88%	-0.5 90%	2.4 91%	-1.3 87%	0.7 86%	0.0 81%	16.9 91%	16.9 77%	-2.2 97%	-1.9 89%	0.4 95%	0.5 86%	-6.5 95%	-4.3 81%	-0.9 86%	-1.4 76%	-1 55%	0.5 70%	0.2 -	0.1 75%
IDA VALLEY 13P039	1.2 87%	1.3 88%	1.2 87%	0.5 85%	0.4 82%	0.5 70%	16.6 86%	10.6 73%	0.8 87%	0.8 75%	1.1 90%	1.1 79%	17.4 83%	13.9 65%	-1.6 82%	-1.5 70%	-11 49%	-0.2 65%	-0.1 -	0.1 71%
LONGFIELD 130281	3.3 92%	4.6 92%	7.2 87%	7.6 85%	0.7 82%	1.0 71%	15.0 90%	10.1 73%	0.5 93%	0.5 81%	-1.0 90%	-0.7 78%	9.6 90%	7.4 73%	2.1 88%	1.7 74%	37 66%	-0.3 74%	0.0 -	0.5 85%
MALVERN DOWNS 090009	0.7 69%	1.5 70%	3.5 68%	2 67%	0.5 61%	-0.1 49%	10.2 68%	9.1 52%	-0.8 77%	-0.6 65%	0.0 69%	0.3 58%	-1.2 72%	-3.2 54%	3.0 67%	2.7 55%	16 37%	0.1 51%	- -	0.0 57%



2015 CENTRAL PROGENY TEST

SIRE	WWT	PWT	YWT	AWT	YEMD	YFAT	YCFW	ACFW	YFD	AFD	YDCV	ADCV	YSL	ASL	YSS	ASS	YWEC	EBWR	EBCOV	LDAG
MARYBURN 100073	-0.2 90%	0.8 91%	2.2 86%	0.9 84%	-0.2 82%	-0.7 68%	1.8 90%	2.8 68%	-1.9 94%	-1.8 79%	-0.2 90%	0.1 77%	-5.8 91%	-7.4 69%	0.3 89%	0.4 73%	-2 65%	0.3 79%	0.1 -	-0.2 85%
MARYBURN 130039	-1.0 83%	-0.9 84%	0.2 80%	-1.9 79%	-1.1 75%	-1.1 61%	13.6 82%	11.9 63%	-1.7 88%	-1.6 75%	1.5 83%	1.5 70%	1.8 85%	-0.3 64%	-5.2 81%	-4.5 66%	32 49%	0.6 64%	0.3 -	0.4 74%
MATAKANUI F00063	2.1 86%	1.5 86%	2.2 84%	0.3 83%	2.0 78%	1.2 66%	14.0 84%	12.8 68%	1.2 90%	1.1 82%	-0.1 85%	0.3 76%	3.8 85%	5.2 66%	3.1 82%	3.2 70%	-9 55%	-0.3 70%	-0.1 -	-0.1 75%
MATAKANUI MIL044	2.3 93%	0.9 92%	0.4 91%	-1.5 86%	1.3 82%	0.8 78%	11.6 90%	7.4 76%	0.3 92%	-0.2 88%	-0.3 89%	0.1 84%	8.8 87%	8.1 71%	1.5 85%	1.2 74%	0 60%	-0.4 76%	-0.1 -	0.0 78%
MATANGI 110019	0.3 88%	-0.9 88%	-1.7 85%	-1.9 83%	-1.8 81%	-1.5 70%	-7.2 87%	-6.5 71%	-1.6 92%	-1.7 80%	-1.0 88%	-0.5 77%	-12.2 89%	-12.3 71%	2.2 86%	2.2 73%	13 66%	-0.1 77%	0.1 -	-0.1 81%
MATANGI 110105	0.5 77%	0.9 78%	2.8 75%	2.3 74%	-1.7 68%	-0.7 55%	-0.9 76%	1.7 58%	-1.4 84%	-1.4 71%	-0.1 77%	0.1 65%	-7.1 79%	-8.5 60%	1.4 75%	1.8 61%	28 37%	0.1 51%	0.0 -	0.1 67%
MATARAE 099040	-2.8 88%	-3.5 89%	-2.4 84%	-4.1 82%	0.7 80%	-0.3 65%	-7.1 87%	-4.2 66%	-2.0 92%	-1.8 78%	-1.1 88%	-0.6 74%	-10.4 89%	-11.5 68%	3.3 87%	3.2 71%	-48 59%	0.4 75%	0.1 -	0.1 81%
MATARAE 100271	-0.3 75%	0.9 76%	3.5 73%	2.8 72%	0.5 67%	-0.1 54%	-4.1 74%	-2.6 57%	-1.3 82%	-1.3 69%	-1.9 75%	-1.3 63%	-0.5 77%	-3.3 59%	3.3 73%	3.1 60%	31 48%	0.2 63%	0.1 -	0.0 64%
MELROSE 130398	7.5 93%	9.9 92%	15.2 89%	16.2 87%	4.2 84%	3.0 74%	2.2 90%	-10.1 77	4.4 94%	5.4 88%	1.9 90%	1.4 83%	-5.1 91%	-11.1 83%	-3.7 88%	1.5 77%	-38 70%	-0.9 68%	-0.3 45%	0.3 85%
MELROSE 140094	7.6 95%	9.9 95%	14.3 92%	13.4 87%	2.6 87%	2.1 84%	23.4 89%	12.7 78%	1.0 92%	1.5 85%	1.0 89%	1.0 81%	22.6 90%	19.9 78%	0.3 87%	-0.5 77%	-26 68%	-1.3 72%	-0.5 43%	-0.4 84%
MERINOTECH 122295	6.0 97%	8.1 97%	13.4 97%	13.8 92%	0.8 95%	0.4 91%	28.5 96%	23 88%	-0.6 98%	-0.6 92%	-0.7 97%	-0.8 90%	3.1 97%	4.2 88%	2.6 95%	4.6 87%	-32 93%	-0.6 87%	-0.9 85%	0.4 94%
MIDDLEHURST 130203	2.9 92%	2.8 92%	4.1 91%	4.5 86%	0.4 85%	0.0 79%	20.2 82%	16.4 74%	-1.3 94%	-1.5 87%	-1.0 91%	-1.2 84%	9.9 65%	9.2 59%	0.7 73%	1.2 69%	- -	0.6 0%	-0.3 0%	0.1 0%
MIDDLEHURST 130364	2.2 90%	1.5 90%	2.3 89%	4.2 85%	-1.1 83%	-0.8 77%	26.3 80%	22.7 74%	-1.0 93%	-0.9 86%	0.7 89%	0.5 82%	13.4 61%	14.1 56%	-1.7 71%	-2.8 67%	- -	0.6 0%	-0.1 0%	0.2 0%
MULLER D00062	0.5 38%	0.4 40%	0.1 -	-0.5 -	-1.3 41%	-1.3 -	11.5 41%	12.1 -	-1.5 -	-1.5 -	-0.6 -	-0.4 -	1.1 -	1 -	3.8 -	3.8 -	0 0%	0.9 0%	0.0 0%	0.1 0%
MULLER D00082	0.0 91%	-0.5 91%	-0.5 87%	-1.8 86%	-1.3 84%	-1.3 71%	20.2 91%	25 73%	-1.4 94%	-1.2 85	-0.4 91%	0 81%	-0.5 92%	1.4 72%	4.4 90%	4.1 76%	9 65%	0.5 80%	0.2 -	0.0 86%
NINE MILE 130005	4.7 91%	6.6 92%	9.4 89%	7.5 85%	1.6 83%	1.0 77%	12.4 89%	2.6 77%	-1.6 94%	-1.7 86%	-0.9 91%	-0.6 83%	15.9 92%	11.4 79%	-6.4 85%	-8.1 76%	-18 61%	-0.7 70%	-0.1 48%	-0.1 77%
NINE MILE 130047	1.6 95%	4.2 95%	6.9 92%	6.2 88%	2.7 87%	1.6 82%	-4.6 92%	-7.1 79%	-0.8 97%	-0.9 87%	-1.2 95%	-0.6 85%	18.1 95%	14 81%	-1.3 88%	-3.1 78%	5 59%	-0.9 69%	-0.3 48%	-0.1 80%
NINE MILE 140881	4.1 93%	5.6 94%	9.1 91%	8.7 86%	1.6 85%	0.8 80%	14.2 90%	7.6 77%	-0.9 95%	-1.3 86%	-1.9 93%	-1.8 84%	12.0 94%	9.4 79%	0.8 87%	1.9 76%	-5 65%	-0.7 74%	-0.5 47%	0.1 78%



2015 CENTRAL PROGENY TEST

SIRE	WWT	PWT	YWT	AWT	YEMD	YFAT	YCFW	ACFW	YFD	AFD	YDCV	ADCV	YSL	ASL	YSS	ASS	YWEC	EBWR	EBCOV	LDAG
NOKOMAI 110214	1.4 92%	3.2 93%	7.4 87%	7.1 86%	1.7 84%	1.3 69%	13.6 92%	10.4 69%	1.2 95%	1.2 80%	0.2 92%	0.6 78%	16.6 93%	11.8 71%	-3.1 91%	-2.5 74%	-34 66%	-1.0 80%	-0.3 -	-0.1 88%
NZM 110210	-1.5 84%	-2.9 85%	-4.0 82%	-5 80%	-0.9 76%	-1.5 65%	-5.5 85%	-3.5 73%	-1.2 91%	-1.3 83%	-2.6 86%	-2.1 78%	-13.5 85%	-12.4 68%	6.6 83%	7.3 73%	36 50%	0.2 67%	0.1 -	0.1 75%
NZM 110219	-2.6 89%	-3.1 90%	-2.4 88%	-1.7 87%	0.3 83%	-0.7 73%	-0.2 89%	4.4 78%	-2.1 93%	-2.1 85%	1.7 90%	1.6 82%	-1.2 90%	-1 73%	-5.1 88%	-4.7 77%	28 64%	0.7 78%	0.3 -	0.1 82%
NZM 110292	-1.8 82%	-0.2 83%	1.4 81%	2.8 80%	0.6 70%	-0.3 60%	4.7 82%	6.6 70%	-1.2 89%	-1.1 82%	-0.2 83%	-0.4 76%	4.8 80%	6.3 65%	-3.3 77%	-0.6 68%	36 47%	0.2 62%	0.1 -	-0.2 65%
NZM 110294	-1.6 94%	-1.8 94%	-0.5 91%	-0.1 93%	-0.6 89%	-0.4 81%	-6.3 94%	-4.2 93%	-2.5 96%	-2.7 95%	0.0 94%	-0.2 92%	-2.4 95%	-3.3 93%	-2.7 93%	-1.7 90%	-24 74%	0.1 87%	0.1 -	0.2 90%
NZM 110349	-1.3 92%	-1.2 93%	-0.7 89%	0.4 88%	-1.0 86%	-0.9 74%	5.2 92%	14 76%	0.1 95%	0.3 85%	1.4 92%	1.6 82%	-4.6 93%	-2.4 73%	0.5 91%	1.4 77%	25 66%	1.0 80%	0.3 -	0.1 87%
NZM 110500	2.6 82%	1.7 83%	1.1 80%	-1.8 78%	0.9 74%	0.3 61%	17.6 83%	14 68%	-0.2 90%	-0.2 82%	-0.4 84%	-0.1 75%	5.7 84%	6.9 65%	5.2 81%	4.1 69%	-22 55%	-0.2 70%	0.0 -	0.0 73%
NZM 110647	-0.6 87%	-1.3 88%	-0.9 83%	-3 82%	-0.5 79%	-0.3 64%	-4.6 86%	-3.4 66%	-1.9 91%	-1.8 77%	-1.6 87%	-1.1 73%	-9.7 88%	-11 67%	5.0 85%	4.8 70%	-8 58%	0.3 74%	0.1 -	0.1 81%
ROSEVILLE PARK 090014	2.4 98%	1.9 98%	4.2 98%	3.0 97%	-3.5 97%	-1.8 96%	23.3 98%	13.3 97%	-2.0 99%	-2.4 98%	-0.6 98%	-0.3 97%	2.0 97%	-3.0 95%	0.3 96%	-0.2 95%	22 94%	0.5 95%	0.4 93%	0.5 89%
STRATHBLANE 130120	1.3 83%	2.1 84%	4.3 80%	4.5 79%	0.6 75%	0.8 61%	14.3 83%	14.8 63%	3.9 89%	3.9 75%	1.5 83%	1.9 70%	13.8 85%	9 65%	2.4 81%	3.0 67%	-28 46%	-0.9 61%	-0.2 -	0.0 75%
THE GUMS 132034	1.5 84%	1.6 85%	4.5 83%	5.4 82%	2.1 78%	2.5 66%	10.8 84%	7.8 69%	1.9 90%	2.1 80%	1.0 85%	1.1 75%	16.6 86%	14.6 71%	-4.0 81%	-2.9 69%	7 54%	-0.8 69%	-0.2 -	0.2 73%
THE GUMS 132037	1.3 86%	1.9 87%	5.2 85%	7 84%	2.8 80%	2.4 68%	1.5 86%	2.9 71%	2.0 91%	2.2 82%	1.1 87%	1.2 76%	14.2 88%	12.4 72%	-3.7 84%	-2.6 71%	-8 53%	-0.9 68%	-0.2 -	0.0 77%

